

Author index

- Adams LJ & Maddox JF: A dinucleotide repeat polymorphism in the ovine insulin-like growth factor-I gene 5' flanking region, 61
see also van Oorschot RAH
- Agaba M & Kemp SJ: PCR-RFLP typing of the bovine myoglobin gene, 187
- Alexander LJ, *see* Archibald AL
- Al-Murrani SWK, Glass EJ & Hopkins J: BoLA class I charge heterogeneity reflects the expression of more than two loci, 165
- Amigues Y, *see* Guérin G
- Andersson L, *see* Ellegren H
see also Juneja RK
see also Marklund S
see also Ruyter D
see also Winterø AK
- Antoniou E: A new bovine Y-specific fragment revealed by DNA fingerprinting, 430
- Archibald AL, Couperwhite S, Haley CS, Beattie CW & Alexander LJ: RFLP and linkage analysis of the porcine casein loci - *CASAS1*, *CASAS2*, *CASB* and *CASK*, 349
see also Brown JF
see also Couperwhite S
- Arevalo E, Holder DA, Derr JN, Bhebbé E, Linn R A, Ruvuna F, Davis SK & Taylor JF: Caprine microsatellite dinucleotide repeat polymorphisms at the SR-CRSP-1, SR-CRSP-2, SR-CRSP-3, SR-CRSP-4 and SR-CRSP-5 loci, 202
see also Bhebbé E
see also Holder DA
- Arnet EF, *see* Mejdell CM
- Arranz JJ, *see* Bayón Y
- Asso J, *see* Grain F
- Badi AM, *see* Loftus RT
- Bahri-Darwich I, *see* Eggen A
- Balain DS, *see* Loftus RT
- Ballingall KT, *see* Dutia BM
see also Wright H
- Band M & Ron M: ARO62: a bovine polymorphic (AGC)_n trinucleotide microsatellite, 371
- Band M & Ron M: Isolation of polymorphic AGC repeats isolated 3' to bovine SINES, 281
see also Ron M
- Barendse W, *see* Hulme DJ
see also Shalom A
see also Sun HS
- Batt CA, Wagner P, Wiedmann M, Luo Jianying & Gilbert R: Detection of bovine leukocyte adhesion deficiency by nonisotopic ligase chain reaction, 95
- Batt RM, *see* Mclyneux K
- Bayón Y, Arranz JJ & San Primitivo F: Red cell reduced glutathione concentrations in Spanish Churra sheep, 277
- Beattie CW, *see* Archibald AL
- see also* Kappes SM
- Béchet D, *see* Guérin G
- Beever JE, *see* Russ I
- Beh KJ, *see* Hulme DJ
see also Parsons YM
- Bell D, *see* Rico C
- Bell K, *see* Breen M
- Bertaud M, *see* Guérin G
- Beutel H, *see* Grain F
- Bhebbé E, Kogi J, Holder DA, Arevalo E, Derr JN, Linn R A, Ruvuna F, Davis SK & Taylor JF: Caprine microsatellite dinucleotide repeat polymorphisms at the SR-CRSP-6, SR-CRSP-7, SR-CRSP-8, SR-CRSP-9 and SR-CRSP-10 loci, 203
see also Arevalo E
- Bickerstaffe R, *see* Rogers GR
- Bigi D, Davoli R, Dall'Olio S & Russo V: A *PvuII* polymorphism at the porcine aminopeptidase N(*PEPN*) locus, 65
see also Davoli R
- Bilka F, *see* Simon M
- Binns M, *see* Mellersh C
- Binns MM, *see* Holmes NG
- Bishop MD, *see* Kappes SM
- Boscher J, *see* Pailhoux E
- Bosma AA, *see* Zijlstra C
- Bouniol C, Brignon G, Mahé MF & Printz C: Biochemical and genetic analysis of variant C of caprine α_{s2} -casein (*Capra hircus*), 173
- Bouquet Y, *see* Mommens G
- Bowling AT, *see* van Haeringen H
- Bradley DG, MacHugh DE, Loftus RT, Sow RS, Hoste CH & Cunningham EP: Zebu-taurine variation in Y chromosomal DNA: a sensitive assay for genetic introgression in West African trypanotolerant cattle populations, 7
see also Loftus RT
- Braun J-P, *see* Ouragh L
- Breen M, Downs P, Irvin Z & Bell K: An equine tetranucleotide repeat: microsatellite MPZ001, 123
- Breen M, Downs P, Irvin Z & Bell K: Intrageneric amplification of horse microsatellite markers with emphasis on the Przewalski's horse (*E. przewalskii*), 401
- Breen M, Downs P, Irvin Z & Bell K: Six equine dinucleotide repeats: microsatellites MPZ002, 3, 4, 5, 6 and 7, 124
- Brignon G, *see* Bouniol C
- Brown JF, Hardge T, Rettenberger G & Archibald AL: Four new porcine polymorphic microsatellite loci (*S0032*, *S0034*, *S0036*, *S0037*), 365
- Bruford MW & Burke T: Minisatellite DNA markers in the chicken genome I. Distribution and abundance of minisatellites in multilocus DNA fingerprints, 381
- Bruford MW, Hanotte O & Burke T: Minisatellite DNA markers in the chicken genome II. Isolation and characterization of minisatellite loci, 391
- Buchanan FC, Galloway SM & Crawford AM: Ovine microsatellites at the OarFCB5, OarFCB19, OarFCB20, OarFCB48, OarFCB129 and OarFCB226 loci, 60
- Bumstead N, Fernandez P & Silibourne J: An *XbaI* RFLP at the locus encoding the chicken homologue of *ANX5*, 290
- Bumstead N, Young JR, Tregaskes C, Palyga J & Dunn PPJ: Linkage mapping and partial sequencing of 10 cDNA loci in the chicken, 337
- Burke T, *see* Bruford MW
- Burt DW: Dinucleotide repeat polymorphisms at the chicken *ACTA2* locus, 204
- Burt DW: Mapping the chicken *ACTA2* locus using heteroduplex polymorphisms, 199
- Burt DW: Mapping the chicken *GAPD* locus using heteroduplex polymorphisms, 207
see also Thorp AJ
- Cambridge LM, *see* Phua SH
- Capuano M, *see* Lanza A
- Chen Y, *see* Jung M
- Chowdhary B, *see* Ellegren H
see also Winterø AK
- Clinton M: A rapid protocol for sexing chick embryos (*Gallus g. domesticus*), 361
- Collins BK, *see* Shibuya H
- Collins LJ, *see* Phua SH
- Cooper DW, *see* Parsons YM
- Coppieters W, *see* Gralak B
see also Mommens G
- Coscelli MB, Davoli R, Farnetti E & Russo V: *BglII* RFLP at the porcine arachidonate 12-lipoxygenase (*LOG12*) locus, 57
- Costosi E, *see* Farnetti E
- Cothran EG & Long YG: A new phenogroup in the horse D system of red cell alloantigens found in the Caspian pony, 49
see also Henney PJ
- Cotinot C, *see* Pailhoux E
- Couperwhite S & Archibald AL: An *EcoRI* RFLP at the porcine endothelin-1 locus (*EDN1*), 286
- Couperwhite S & Archibald AL: An *XbaI* RFLP at the porcine gelsolin locus (*GSN*), 368
- Couperwhite S, Stone RT & Archibald AL: A *PstI* RFLP at the porcine orosomucoid locus (*ORM*), 285
see also Archibald AL
- Crawford AM, *see* Buchanan FC
see also Ede AJ
see also Hanrahan V

- see also Pierson CA
 Cribiu EP, see Eggen A
 Cunningham EP, see Bradley DG
 see also Loftus RT
- Dall'Olio S, see Bigi D
 see also Zambonelli P
- Davies KP & Maddox JF: Ovine dinucleotide repeat polymorphism at the lysozyme (LYZ) locus, 204
 see also Hawken RJ
- Davis SK, see Arevalo E
 see also Bhebbhe E
 see also Holder DA
- Davoli R, Zambonelli P, Bigi D, Farnetti E & Russo V: A *HincII* polymorphism at the porcine γ -glutamyl transpeptidase (GGT) locus, 57
 see also Bigi D
 see also Coscelli MB
 see also Farnetti E
 see also Fontanesi L
 see also Zambonelli P
- de Haan NA, see Zijlstra C
 de Vries Lindström C, see Grimholt U
- Dennis JA, see Healy PJ
- Dentine MR, see Sun HS
- Derr JN, see Arevalo E
 see also Bhebbhe E
- Di Gregorio P, see Lanza A
- Dolf G, Hübscher KJ, Stranzinger G, Gaillard C & Frey J: Repetitive plasmid sequences generate DNA fingerprinting patterns in mammals, 273
- Downs P, see Breen M
- Dunn PPJ, see Bumstead N
- Duraj J, see Simon M
- Dušinský R, see Simon M
- Dutia BM, McConnell I, Ballingall KT, Keating P & Hopkins J: Evidence for the expression of two distinct MHC class II DR β like molecules in the sheep, 235
 see also Knowles G
- Ede AJ, Peirson CA, Henry H & Crawford AM: Ovine Microsatellites at the OarAE64, OarHH22, OarHH56, OarHH62, OarVH4 loci, 51
 see also Hanrahan V
 see also Pierson CA
- Eggen A, Bahri-Darwich I, Mercier D, Vaiman D & Cribiu EP: Assignment of bovine synteny group U2 to chromosome 9, 183
 see also Guérin G
- Elduque C, Rodellar C & Zaragoza P: A *MspI* polymorphism at the albumin (ALB) locus in cattle, 376
- Elduque C, Rodellar C & Zaragoza P: A *TaqI* polymorphism at the β -globin (HBB) locus in cattle, 375
- Elduque C, Rodellar C & Zaragoza P: Polymorphism at the nucleoside phosphorylase (NP) locus in cattle, 376
- Ellegren H, Chowdhary B, Johansson M & Andersson L: Integrating the porcine physical and linkage map using cosmid-derived markers, 155
- see also Marklund S
- Ennis S & Gallagher TF: A PCR-based sex-determination assay in cattle based on the bovine amelogenin locus, 425
- Eriksson S, see Marklund S
- Ewen KR & Matthews ME: Equine dinucleotide repeat polymorphism at the VIAS-H7 locus, 292
- Ewen KR & Matthews ME: VIAS-H17 and VIAS-H34: two new polymorphic equine microsatellite loci, 63
- Ewen KR & Matthews ME: VIAS-H39, an equine tetranucleotide microsatellite repeat polymorphism, 433
- Fabb SA, see van Oorschot RAH
- Farnetti E, Davoli R, Costosi E & Russo V: An *EcoRI* polymorphism at the porcine albumin (ALB) locus, 65
 see also Coscelli MB
 see also Davoli R
- Fellous M, see Pailhoux E
- Fernandez P, see Bumstead N
- Ferrara M, see Guérin G
- Ferretti L, Leone P, Pilla F, Zhang Y, Nocart M & Guérin G: Direct characterization of bovine microsatellites from cosmids: polymorphism and synteny mapping, 209
- Finlay O, see Kossarek LM
- Fiorella A, see Lanza A
- Fontanesi L, Davoli R, Zambonelli P & Russo V: *HincII* and *PstI* reveal polymorphisms at the porcine orosomucoid (ORM) locus, 369
- Frankham R, see Van Hest BJ
- Fredholm M, see Rettenberger G
 see also Winterson AK
- Frey J, see Dolf G
- Friedl R & Rottmann O: Assignment of the cation independent mannose 6-phosphate/insulin-like growth factor II receptor to bovine chromosome 9q27-28 by fluorescent *in situ* hybridization, 191
- Friedmann A, see Shalom A
- Fries R, see Kulseth MA
 see also Rettenberger G
- Gaillard C, see Dolf G
- Gallagher TF, see Ennis S
- Galloway SM, Henry HM & Hill DF: A panel of RFLP markers from sheep genomic DNA, 374
 see also Buchanan FC
- Gaycken U, Shabahang M, Meyer JN & Glodek P: Molecular characterization of the porcine MHC class I region, 357
- Gebuhrer L, see Grain F
- Geldermann H, see Jung M
- Genislav E, see Khatib H
- Gilbert R, see Batt CA
- Glass EJ, see Al-Murrani SWK
 see also Knowles G
- Glodek P, see Gaycken U
- Goy J, see Skow LC
- Grain F, Nain M-C, Labonne M-P, Lantier F, Lechopier P, Gebuhrer L, Asso J, Maddox J & Beutel H: Restriction fragment length polymorphism of DQB and RB class II genes of the ovine major histocompatibility complex, 208
- Gralak B, Coppieters W & Van de Weghe A: Two new equine dinucleotide repeat microsatellites at the EA2C4 and EB2E8 loci, 285
- Grimholt U, Olsaker I, de Vries Lindström C & Lie Ø: A study of variability in the MHC class II β 1 and class I α 2 domain exons of Atlantic salmon, *Salmo salar* L., 147
- Groenen M, see Ruyter D
- Groenen MAM, see Ruyter D
- Grohs C, see Levéziel H
 see also Velmala R
- Grosclaude F, see Levéziel H
- Grosse WM, see Kossarek LM
- Grosz MD, Skow LC & Stone RT: An *AluI* polymorphism at the bovine 70 kD heat-shock protein-1 (HSP70-1) locus, 196
 see also Kappes SM
- Groth DM & Wetherall JD: Dinucleotide repeat polymorphism within the ovine major histocompatibility complex class I region, 61
- Guérin G, Bertaud M & Amigues Y: Characterization of seven new horse microsatellites: HMS1, HMS2, HMS3, HMS5, HMS6, HMS7 and HMS8, 62
- Guérin G, Eggen A, Vaiman D, Nocart M, Laurent P, Béchet D & Ferrara M: Further characterization of somatic cell hybrid panel: ten new assignments to the bovine genome, 31
- Guérin G, Nocart M & Kemp SJ: Fifteen new synteny assignments of microsatellites to the bovine genome, 179
 see also Ferretti L
- Gwakisa PS, Kemp SJ & Teale AJ: Characterization of Zebu cattle breeds in Tanzania using random amplified polymorphic DNA markers, 89
- Haley CS, see Archibald AL
- Hanotte O, see Bruford MW
- Hanrahan V, Ede AJ & Crawford AM: Ovine X-chromosome microsatellites at the OarAE25 and OarAE133 loci, 370
 see also Potts MD
- Hanrahan V, Penty JM & Montgomery GW: An *ApaI* polymorphism at the ovine tissue inhibitor of metalloproteinase locus (TIMP), 287
- Hardge T, see Brown JF
- Hart GL, see Kirkpatrick BW
- Hasegawa T, see Ishida N
- Hawken RJ, Davies KP & Maddox JF: A dinucleotide repeat in the ovine interleukin-3 gene of limited polymorphism, 286
- Hawken RJ, Davies KP & Maddox JF: A polymorphic tetranucleotide repeat in the ovine metallothionein II gene, 366
- Hawkins GA, see Kappes SM
- Healy PJ & Dennis JA: Molecular

- heterogeneity for bovine maple syrup urine disease, 329
- Healy PJ, Dennis JA, Nicholls PJ & Reichmann KG: Haemopoietic chimaerism: a complication in heterozygote detection tests for inherited defects in cattle, 1
- Helm J, *see* Tuggle CK
- Henkel RD, *see* Perelygina LM
- Henney PJ, Johnson EL & Cothran EG: A new buffer system for acid PAGE typing of equine protease inhibitor, 363
- Henry H, *see* Ede AJ
- Henry HM, *see* Galloway SM
- Hewitt G, *see* Rico C
- Hickford JGH, *see* Rogers GR
- Hiendler S, *see* Leyhe B
- Hill DF, *see* Galloway SM
see also Potts MD
- Hines HC, *see* Kappes SM
- Hirano T, *see* Ishida N
- Holder DA, Arevalo E, Holder MT, Taylor JF & Davis SK: Bovine microsatellite dinucleotide repeat polymorphisms at the TEXAN-1, TEXAN-2, TEXAN-3, TEXAN-4 and TEXAN-5 loci, 201
see also Arevalo E
see also Bhebe E
- Holder MT, *see* Holder DA
- Holmes N, *see* Mellersh C
- Holmes NG, Strange NJ, Binns MM, Mellersh CS & Sampson J: Three polymorphic canine microsatellites, 200
- Honeycutt D, *see* Skow LC
- Hopkins J, *see* Al-Murrani SWK
see also Dutia BM
see also Knowles G
- Hořín P, *see* Simon M
- Hoste CH, *see* Bradley DG
- Høyheim B, Keiserud A & Thomsen PD: A highly polymorphic porcine dinucleotide repeat *S0301* (BHT 12) at chromosome 4p15, 432
- Høyheim B, Keiserud A & Thomsen PD: A polymorphic porcine dinucleotide repeat *S0294* (BHT 34) at chromosome 6p11-q11, 431
- Høyheim B, Keiserud A & Thomsen PD: A polymorphic porcine dinucleotide repeat *S0297* (BHT 164) at chromosome 6p14-p15, 431
see also Thomsen PD
- Huang TH-M, *see* Shibuya H
- Hübscher KJ, *see* Dolf G
- Huff BM, *see* Sun HS
- Hulme DJ, Silk JP, Redwin JM, Barendse W & Beh KJ: Ten polymorphic ovine microsatellites, 434
- Inumaru S, *see* Ishida N
- Irvin Z, *see* Breen M
- Ishida N, Hasegawa T, Takeda K, Sakagami M, Onishi A, Inumaru S, Komatsu M & Mukoyama H: Polymorphic sequence in the D-loop region of equine mitochondrial DNA, 215
- Ishida N, Hirano T & Mukoyama H: Detection of aberrant alleles in the D-loop region of equine mitochondrial DNA by single-strand conformation polymorphism (SSCP) analysis, 287
- Jaeger C, *see* Leyhe B
- Johansson M, *see* Ellegren H
see also Ruyter D
- Johnson EL, *see* Henney PJ
- Johnson GS, *see* Nonneman D
see also Shibuya H
- Johnson McClure J, Koch C & Traub-Dargatz J: Characterization of a red blood cell antigen in donkeys and mules associated with neonatal isoerythrolysis, 119
- Joseph SS & Sampson J: Identification, isolation and characterization of canine minisatellite sequences, 307
- Juneja RK & Andersson L: Genetic variation at pig plasma protein locus *PLP1* and its assignment to chromosome 5, 353
- Jung M, Chen Y & Geldermann H: Nine porcine polymorphic microsatellites (*S0141-S0149*), 378
- Kammerer CM, *see* Perelygina LM
- Kappes SM, Bishop MD, Keele JW, Penedo MCT, Hines HC, Grosz MD, Hawkins GA, Stone RT, Sunden SLF & Beattie CW: Linkage of bovine erythrocyte antigen loci B, C, L, S, Z, R' and T' and the serum protein loci post-transferrin 2 (PTF 2), vitamin D binding protein (GC) and albumin (ALB) to DNA microsatellite markers, 133
- Keating P, *see* Dutia BM
- Keele JW, *see* Kappes SM
- Keiserud A, *see* Høyheim B
- Kemp SJ & Teale AJ: Randomly primed PCR amplification of pooled DNA reveals polymorphism in a ruminant repetitive DNA sequence which differentiates *Bos indicus* and *B. taurus*, 83
see also Agaba M
see also Guérin G
see also Gwakisa PS
- Khatib H, Genislaev E & Soller M: Chicken microsatellites at the *HUJERELA* and *HUJ106* loci, 55
- Khatib H & Soller M: Dinucleotide repeat polymorphism at the *TENS* and *SCHOX1* loci in chicken, 199
- Khatib H & Soller M: Mononucleotide repeat polymorphism at the *CMYCA* locus in chicken, 55
- Kirkpatrick BW & Hart GL: Conformation polymorphisms and targeted marker development, 77
see also Sun HS
- Knowles G, Dutia BM, Glass EJ, McCarthy-Morrogh L, Spooner RL & Hopkins J: Improved discrimination of bovine class II DR β -chains polymorphisms using immunoblotting, 129
- Koch C, *see* Johnson McClure J
- Kogi J, *see* Bhebe E
- Komatsu M, *see* Ishida N
- Kossarek LM, Finlay O, Grosse WM, Su X & McGraw RA: Five bovine dinucleotide repeat polymorphisms: RM026, RM029, RM032, RM033 and RM038, 296
- Kossarek LM, Grosse WM, Finlay O & McGraw RA: Five bovine dinucleotide repeat polymorphisms: RM011, RM012, RM016, RM019 and RM024, 205
- Kühn C, *see* Seyfert HM
- Kulseth MA, Solinas Toldo S, Fries R, Womack J, Lien S & Rogne S: Chromosomal localization and detection of DNA polymorphisms in the bovine polymeric immunoglobulin receptor gene, 113
- Labonne M-P, *see* Grain F
- Lang KDM & Plante Y: Fifteen polymorphic bovine dinucleotide microsatellites, 373
- Lantier F, *see* Grain F
- Lanza A, Fiorella A, Capuano M, Senese C, Di Gregorio P & Rando A: An anonymous water buffalo probe detects a *TaqI* RFLP in cattle, 375
- Lanza A, Rando A, Senese C, Ramunno L, Di Gregorio P & Masina P: An anonymous bovine probe detects RFLPs in cattle, goat and sheep, 195
- Lanza A, Rando A, Senese C, Ramunno L, Di Gregorio P & Masina P: An anonymous water buffalo probe detects RFLP in sheep, 195
- Laurent P, *see* Guérin G
- Lechopier P, *see* Grain F
- Legault C, *see* Pailhoux E
- Leibenguth F, *see* Mörsch G
- Lenstra JA, *see* van Haeringen H
- Leone P, *see* Ferretti L
- Leroux C, *see* Levéziel H
- Levéziel H, Rodellar C, Leroux C, Pépin L, Grohs C, Vaiman D, Mahé MF, Martin P & Grosclaude F: A microsatellite within the bovine κ -casein gene reveals a polymorphism correlating strongly with polymorphisms previously described at the protein as well as the DNA level, 223
see also Velmala R
- Lewin HA, *see* Russ I
- Leyhe B, Hiendler S, Jaeger C & Wassmuth R: Pronounced differences in the frequency of *TaqI* β_A -inhibin alleles between sheep breeds with different reproductive performance, 41
- Lie Ø, *see* Grimholt U
see also Mejdell CM
see also Våge DI
- Lien S, *see* Kulseth MA
see also Velmala R
- Lin J-H, *see* Ryan AM
- Lingaas F, *see* Våge DI
- Linn RA, *see* Arevalo E
see also Bhebe E
- Loftus RT, MacHugh DE, Ngere LO, Balain DS, Badi AM, Bradley DG & Cunningham EP: Mitochondrial genetic variation in European, African and Indian cattle populations, 265

- see also Bradley DG
 Long YG, see Cothran EG
 Luo Jianying, see Batt CA
- MacCarthy-Morrogh L, see Knowles G
 MacHugh DE, see Bradley DG
 see also Loftus RT
 Maddox J, see Grain F
 Maddox JF, see Adams LJ
 see also Davies KP
 see also Hawken RJ
 see also Matthew P
 see also van Oorschot RAH
- Mahé MF, see Bouniol C
 see also Levéziel H
 see also Velmala R
- Marklund S, Ellegren H, Eriksson S, Sandberg K & Andersson L: Parentage testing and linkage analysis in the horse using a set of highly polymorphic microsatellites, 19
- Martin P, see Levéziel H
 Masina P, see Lanza A
- Matthew P & Maddox JF: A polymorphic dinucleotide repeat microsatellite detected in the ovine interleukin 2 receptor alpha (IL2RA, CD25) gene, 200
- Matthew P & Maddox JF: A polymorphic microsatellite detected in the ovine CD5 gene, 371
- Matthews ME, see Ewen KR
 see also Primmer CR
 see also Ward WK
- McConnell I, see Dutia BM,
 McGraw RA, see Kossarek LM
- Mejdell CM, Lie Ø, Solbu H, Arnet EF & Spooner RL: Association of major histocompatibility complex antigens (BoLA-A) with AI bull progeny test results for mastitis, ketosis and fertility in Norwegian Cattle, 99
- Mellersh C, Holmes N, Binns M & Sampson J: Dinucleotide repeat polymorphisms at four canine loci (LEI 003, LEI 007, LEI 008 and LEI 015), 125
- Mellersh CS, see Holmes NG
- Mercier D, see Eggen A
- Mériaux J-C, see Ouragh L
- Meyer JN, see Gaycken U
- Molloy PL, see Van Hest BJ
- Molteni L, see Pailhoux E
- Molyneux K & Batt RM: Five polymorphic canine microsatellites, 379
- Mommens G, Coppieters W, Van de Weghe A, Van Zeveren A & Bouquet Y: Dinucleotide repeat polymorphism at the bovine MM12E6 and MM8D3 loci, 368
- Montgomery GW, see Hanrahan V
- Morrice DR, see Thorp AJ
- Mörsch G & Leibenguth F: DNA fingerprinting in roe deer using the digoxigenated probe (GTG)₅, 25
- Mosig MO, see Shalom A
- Mukoyama H, see Ishida N
- Murray ND, see Ward WK
- Nain M-C, see Grain F
- Neibergs HL, Ryan AM, Womack JE, Spooner RL & Williams JL: Polymorphism analysis of the prion gene in BSE-affected and unaffected cattle, 313
- Ngere LO, see Loftus RT
- Nguyen TC, see Pépin L
- Nicholls PJ, see Healy PJ
- Nocart M, see Ferretti L
 see also Guérin G
- Nonneman D, Shibuya H & Johnson GS: A *Ms11* PCR/RFLP in the bovine phenol sulfotransferase gene, 436
- Olsaker I, see Grimholt U
 see also Våge DI
- Onishi A, see Ishida N
- Osta R, Rodellar C & Zaragoza P: ZES-10: A new bovine *MSpl* polymorphism detected by one primer, 291
- Ouragh L, Mériaux J-C & Braun J-P: Genetic blood markers in Arabian, Barb and Arab-Barb horses in Morocco, 45
- Pailhoux E, Popescu PC, Parma P, Boscher J, Legault C, Molteni L, Fellous M & Cotinot C: Genetic analysis of 38XX males with genital ambiguities and true hermaphrodites in pigs, 299
- Palya J, see Bumstead N
- Parma P, see Pailhoux E
- Parsons YM, Cooper DW & Piper LR: Evidence of linkage between high-glycine-tyrosine keratin gene loci and wool fibre diameter in a Merino half-sib family, 105
- Parsons YM, Cooper DW, Piper LR & Beh KJ: A *TaqI* polymorphism at the immunoglobulin kappa light chain locus in Merino sheep, 54
- Peirson CA, see Ede AJ
- Penedo MCT, see Kappes SM
- Penty JM, see Hanrahan V
- Pépin L & Nguyen TC: Blood groups and protein polymorphisms in five goat breeds (*Capra hircus*), 333
 see also Levéziel H
- Perelygin AA, Samollow PB & VandeBerg JL: A new *HindIII* RFLP of NRAS in the laboratory opossum, *Monodelphis domestica*, 432
- Perelygina LM, Kammerer CM & Henkel RD: RFLPs in the baboon renin locus, 198
- Phua SH, Cambridge LM & Wood NJ: *TaqI* and *MspI* restriction fragment length polymorphisms at the ovine apolipoprotein B (*APOB*) locus, 289
- Phua SH, Wood NJ & Collins LJ: A compound *TaqI* polymorphism in sheep revealed by a carbonic anhydrase II (CA2) probe, 372
- Phua SH, Wood NJ & Collins LJ: A *TaqI* RFLP at the *PLAT* (plasminogen activator, tissue) locus of sheep, 293
- Phua SH, Wood NJ & Collins LJ: The ovine esterase D (*ESD*) locus carries a high-frequency *EcoRI* polymorphism, 288
- Pierson CA, Ede AJ & Crawford AM: Ovine microsatellites at the *OarHH30*, *OarHH51*, *OarVH54*, *OarCP88*, *OarCP93*, *OarCP134* loci, 294
- Pilla F, see Ferretti L
- Piper LR, see Parsons YM
- Plante Y, see Lang KDM
- Popescu PC, see Pailhoux E
- Potts MD, Hanrahan V & Hill DF: A *BgIII* polymorphism at the ovine phosphorylase kinase alpha subunit locus (*PHKA1*), 288
- Potts MD, Hanrahan V & Hill DF: An *EcoRV* polymorphism at the ovine Menkes disease locus (*ATP7A*), 293
- Primmer CR, Robinson NA & Matthews ME: Canine dinucleotide repeat polymorphism at the *VIAS-D23* locus, 197
- Printz C, see Bouniol C
- Ramunno L, see Lanza A
- Rando A, see Lanza A
- Redwin JM, see Hulme DJ
- Reichmann KG, see Healy PJ
- Rettenberger G, Fredholm M & Fries R: Chromosomal assignment of porcine microsatellites by use of a somatic cell hybrid mapping panel, 343
 see also Brown JF
- Rico C, Rico I, Webb N, Smith S, Bell D & Hewitt G: Four polymorphic microsatellite loci for the European wild rabbit, *Oryctolagus cuniculus*, 367
- Rico I, see Rico C
- Robinson NA, see Primmer CR
 see also Ward WK
- Rodellar C, see Elduque C
 see also Levéziel H
 see also Osta R
- Rogers GR, Hickford JGH & Bickerstaffe R: Polymorphism in two genes for B2 high sulfur proteins of wool, 407
- Rogne S, see Kulseth MA
- Ron M, Band M, Yanai A & Weller JL: Mapping quantitative trait loci with DNA microsatellites in a commercial dairy cattle population, 259
 see also Band M
- Rothschild MF, see Tuggle CK
 see also Yu T-P
- Rothuizen J & Van Wolferen M: Randomly amplified DNA polymorphisms in dogs are reproducible and display Mendelian transmission, 13
- Rottmann O, see Friedl R
- Russ I, Beever JE & Lewin HA: A *TaqI* polymorphism in the bovine blood coagulation factor XIII a subunit gene, 433
- Russo V, see Bigi D
 see also Coscelli MB
 see also Davoli R
 see also Farnetti E
 see also Fontanesi L
 see also Zambonelli P
- Ruvuna F, see Arevalo E
 see also Bhebhe E
- Ruyter D, Johansson M, Groenen M &

- Andersson L: A porcine polymorphic microsatellite locus (*S0098*), 198
- Ruyter D, Verstege AJM, van der Poel JJ & Groenen MAM: Five porcine polymorphic microsatellite markers, 53
- Ryan AM & Womack JE: Assignment of the metallothionein 2 gene (*MT2A*) to bovine chromosome 18 by somatic cell analysis, 196
- Ryan AM & Womack JE: Assignment of the proopiomelanocortin (POMC) gene to BTA 11 and RFLPs in cattle and sheep, 58
- Ryan AM & Womack JE: Somatic cell mapping of the mitochondrial aconitase gene (*ACO2*) to bovine chromosome 5, 123, 197
- Ryan AM, Womack JE, Lin J-H & Sun T-T: *TaqI* RFLPs at the bovine uroplakin II locus (UPK2), 58
- Ryan AM, Womack JE, Wu X-R & Sun T-T: *TaqI* and *BglII* RFLPs for the bovine uroplakin III loci UPK3A and UPK3B, 64
see also Neibergs HL
- Sakagami M, see Ishida N
- Samollow PB, see Perelygin AA
- Sampson J, see Holmes NG
see also Joseph SS
see also Mellersh C
- San Primitivo F, see Bayón Y
- Sandberg K, see Marklund S
- Schmitz CB, see Yu T-P
- Senese C, see Lanze A
- Seyfert HM & Kühn C: Characterization of a first bovine lactoferrin gene variant, based on an *EcoRI* polymorphism, 54
- Shabahang M, see Gaycken U
- Shalom A, Mosig MO, Barendse W, Friedmann A & Soller M: Dinucleotide repeat polymorphism at the bovine HUJ246, HUJ177, HUJ223, HUJVI74 and HUJ175 loci, 56
- Sheldon BL, see Van Hest BJ
- Shibuya H, Collins BK, Huang TH-M & Johnson GS: A polymorphic (AGGAAT)_n tandem repeat in an intron of the canine von Willebrand factor gene, 122
see also Nonneman D
- Silk JP, see Hulme DJ
- Sillibourne J, see Bumstead N
- Simon M, Dušínský R, Hořín P, Duraj J, Bilka F & Tomášková J: A polymorphic monoclonal anti-BoLA class I antibody, 347
- Skow LC, Goy J & Honeycutt D: Dinucleotide repeat polymorphism near a bovine MHC class I sequence, 290
see also Grosz MD
- Smith S, see Rico C
- Solbu H, see Mejdell CM
- Solinas Toldo S, see Kulseth MA
- Soller M, see Khatib H
see also Shalom A
- Sow RS, see Bradley DG
- Spooner RL, see Knowles G
see also Mejdell CM
- see also Neibergs HL
- Stet RJM, see Wiegertjes GF
- Stone RT, see Couperwhite S
see also Grosz MD
see also Kappes SM
- Stott ML, see van Haeringen H
- Strange NJ, see Holmes NG
- Stranzinger G, see Dolf G
- Su X, see Kossarek LM
- Sun HS, Dentine MR, Barendse W & Kirkpatrick BW: UWCA19 and UWCA20: polymorphic bovine microsatellites, 121
- Sun HS, Dentine MR & Kirkpatrick BW: UWCA21: A polymorphic bovine microsatellite, 289
- Sun HS, Huff BM, Dentine MR & Kirkpatrick BW: Polymorphic bovine microsatellites UWCA5, UWCA7, UWCA9, 59
- Sun T-T, see Ryan AM
- Sunden SLF, see Kappes SM
- Takeda K, see Ishida N
- Taylor JF, see Arevalo E
see also Bhebbhe E
see also Holder DA
- Teale AJ, see Gwakisa PS
see also Kemp SJ
- Thomsen PD & Høyheim B: S0306 — a molecular marker at pig chromosome 18q24, 377
see also Høyheim B
see also Wintør AK
- Thorp AJ, Morrice DR & Burt DW: A *MspI* RFLP at the chicken tyrosine hydroxylase locus (*TH*), 366
- Tomášková J, see Simon M
- Traub-Dargatz J, see Johnson McClure J
- Tregaskes C, see Bumstead N
- Tuggle CK, Helm J & Rothschild MF: Cloning, sequencing and restriction fragment length polymorphism analysis of a porcine cDNA for OCT2, 141
see also Yu T-P
- Våge DI, Olsaker I, Lingaas F & Lie Ø: Isolation and sequence determination of porcine class II DRB alleles amplified by PCR, 73
- Vaiman D, see Eggen A
see also Guérin G
see also Levéziel H
- Van de Weghe A, see Gralak B
see also Mommens G
- van der Poel JJ, see Ruyter D
- van Haeringen H, Bowling AT, Stott ML, Lenstra JA & Zwaagstra KA: A highly polymorphic horse microsatellite locus: VHL20, 207
- Van Hest BJ, Molloy PL, Frankham R & Sheldon BL: Heat shock protein gene *HSP108* and a replication histone gene cluster are linked in the chicken, 109
- Van Muiswinkel WB, see Wiegertjes GF
- van Oorschot RAH, Maddox JF, Adams LJ & Fabb SA: Characterization and evolution of ovine MHC class II *DQB* sequence polymorphism, 417
- Van Wolferen M, see Rothuizen J
- Van Zeveren A, see Mommens G
- VandeBerg JL, see Perelygin AA
- Velmal R, Grohs C, Mahé MF, Lien S & Levéziel H: Genotyping of the bovine β -casein C allele by amplification created restriction site, 429
- Verstege AJM, see Ruyter D
- Wagner P, see Batt CA
- Ward WK, Matthews ME, Murray ND & Robinson NA: An ostrich dinucleotide repeat polymorphism at the VIAS-OS2 locus, 291
- Wassmuth R, see Leyhe B
- Webb N, see Rico C
- Weller JJ, see Ron M
- Wetherall JD, see Groth DM
- Wiedmann M, see Batt CA
- Wiegertjes GF, Stet RJM & Van Muiswinkel WB: Divergent selection for antibody production in common carp (*Cyprinus carpio* L.) using gynogenesis, 251
- Williams JL, see Neibergs HL
- Wintør AK, Chowdhary B & Fredholm M: A porcine polymorphic microsatellite locus (*S0076*) at chromosome 13q12, 430
- Wintør AK & Fredholm M: Three porcine polymorphic microsatellite loci (*S0078*, *S0079*, *S0157*), 436
- Wintør AK, Fredholm M & Andersson L: Assignment of the gene for porcine insulin-like growth factor 1 (IGF1) to chromosome 5 by linkage mapping, 37
- Wintør AK, Fredholm M & Thomsen PD: A porcine polymorphic microsatellite locus (*S0077*) at chromosome 16q14, 122
- Womack JE, see Kulseth MA
see also Neibergs HL
see also Ryan AM
- Wood NJ, see Phua SH
- Wright H & Ballingall KT: Mapping and characterization of the *DQ* subregion of the ovine MHC, 243
- Wu X-R, see Ryan AM
- Yanai A, see Ron M
- Young JR, see Bumstead N
- Yu T-P, Schmitz CB, Rothschild MF & Tuggle CK: Expression pattern, genomic cloning and RFLP analyses of the swine *PIT-1* gene, 229
- Zambonelli P, Davoli R, Dall'Olio S & Russo V: A *MspI* polymorphism at the porcine γ -glutamyl transpeptidase (GGT) locus, 66
see also Davoli R
see also Fontanesi L
- Zaragoza P, see Elduque C
see also Osta R
- Zhang Y, see Ferretti L
- Zijlstra C, Bosma AA & de Haan NA: Comparative study of pig-rodent somatic cell hybrids, 319
- Zwaagstra KA, see van Haeringen H

Subject index

- AGC microsatellite repeats
located 3' to bovine SINES, 281
polymorphism information context (PIC)
values, 281
- Atlantic salmon, *see* *Salmo salar* L.
- Baboon renin locus, RFLPs in, 198
- Bos indicus*
crossbreeding, 89
domestication, 7, 265
RAPD, 83
RAPD-PCR, 89
RFLP-PCR assay, 187
- Bos taurus*
crossbreeding, 89
domestication, 7, 265
RAPD, 83
RAPD-PCR, 89
RFLP-PCR assay, 187
- Bovine, *see also* Cattle
- Bovine amelogenin locus, PCR-based sex-
determination assay, 425
- Bovine blood coagulation factor XIII, *TaqI*
polymorphism in, 433
- Bovine β -casein C allele, genotyping by
amplification created restriction site, 429
- Bovine κ -casein gene (CASK)
microsatellite within, 223
polymorphism at protein and DNA
levels, 223
- Bovine class II DR β -chain polymorphism,
improved discrimination using
immunoblotting, 129
- Bovine dinucleotide repeat polymorphisms
at
HUI246, HUI177, HUI223, HUIV174,
HUI175, 56
RM011, RM012, RM016, RM019, RM024,
205
RM026, RM029, RM032, RM033, RM038,
296
MM12E6, MM8D3, 368
- Bovine embryos, sex determination, 425
- Bovine erythrocyte antigens, serum
proteins and DNA microsatellite
markers, 133
- Bovine evolution, 265
- Bovine genome, 209
new syntenic assignments, 31, 179
- Bovine *HSP70-1* locus, *AluI* polymorphism
at, 196
- Bovine lactoferrin gene variant,
characterization based on *EcoRI*
polymorphism, 54
- Bovine leucocyte adhesion deficiency
(BLAD), detection by LCR, 95
- Bovine lymphocyte antigen (BoLA)
association with cattle disease and
fertility, 99
class I mutation, 165
glycolization, 165
MHC, 347
phosphorylation, 165
- polymorphic monoclonal antibody, 347
- Bovine maple syrup urine disease (MSUD),
329
elevated levels of BCKADH substrate,
329
genotyping for, 329
- Bovine MHC class I sequence, 347
dinucleotide repeat polymorphism near,
290
- Bovine microsatellite dinucleotide repeat
polymorphisms at TEXAN1-TEXAN5
loci, 201
- Bovine microsatellites IDVGA2-IDVGA11
PIC values, 209
synteny groups, 209
- Bovine *MspI* polymorphism: ZES-10, 291
- Bovine myoglobin gene, PCR-RFLP assay,
187
- Bovine phenol sulfotransferase gene, *Msl*
PCR/RFLP in, 436
- Bovine PIGR locus
chromosome localization and detection
of DNA polymorphism in, 113
RFLP-PCR assay, 113
- Bovine polymorphic (AGC)_n trinucleotide
microsatellite, 371
- Bovine polymorphic dinucleotide
microsatellites: SRC11, SRC23, SRC40,
SRC67, SRC97, SRC116, SRC119,
SRC146, SRC159, SRC221, SRC240,
SRC242, SRC259, SRC276, SRC323
- Bovine polymorphic microsatellites:
UWCA5, UWCA7, UWCA9, 59
UWCA19, UWCA20, 121
UWCA21, 289
- Bovine prion gene, polymorphism analysis,
313
- Bovine short interspersed nuclear elements
(SINE): polymorphic AGC repeats
located 3' to, 281
- Bovine spongiform encephalitis (BSE)
affected cattle, genotypes associated
with, 313
AMFLPs, 313
SSCPs, 313
- Bovine subspecies marker, RAPD-PCR of
pooled DNA reveals, 85
- Bovine synteny group U2, assignment to
chromosome 9, 183
- Bovine UPK2 locus, *TaqI* RFLPs at, 58
- Bovine UPK3A and UPK3B loci, *TaqI* and
BglII RFLPs for, 64
- Bovine Y-specific fragment revealed by
DNA fingerprinting, 430
- Canine dinucleotide repeat polymorphism
at
LEI 003, LEI 007, LEI 008, LEI 015, 125
VIAS-D23, 197
- Canine DNA
microsatellite sequences, 307
RAPD amplification for, 13
- Canine polymorphic microsatellites
AHT124-AHT125, 200
RVC1, RVC4, RVC8, RVC11, RVCE, 379
- Canine von Willebrand factor gene
(AGGAAT)_n, tandem repeat in an intron
of, 122
- Capra hircus*
blood groups and protein
polymorphisms in, 333
variant C α_{s2} -casein, 173
- Caprine, *see also* Goat
- Caprine α_{s2} -casein alleles, 173
- Caprine microsatellite dinucleotide repeat
polymorphisms at
SR-CRSP-1-SR-CRSP-5, 202
SR-CRSP-6-SR-CRSP-10, 203
- Carp, common, *see* *Cyprinus carpio* L.
- Cation independent mannose 6-phosphate
receptor (*M6PR*), assignment to bovine
chromosome 9q27-28 by FISH, 191
- Cattle
assignment of POMC gene to BTA 11 and
RFLPs in, 58
bovine probe detects RFLPs in, 195
breeds, mitochondrial DNA from, 265
disease, 95, 99, 313, 329
inherited defects, 1
resistance, 7
DNA fingerprinting, 273
fertility, 99
gene map, 31, 77, 113, 179, 183
genetic introgression in trypanotolerant
populations, 7
MspI polymorphism at ALB locus, 376
PCR-based sex determination assay, 425
polymorphic monoclonal anti-BoLA
antibody, 347
MHC class I, 347
polymorphism at NP locus, 376
prion polymorphisms in, 313
QTL mapping, 259
subspecies marker, 83
TaqI polymorphism at *HBB* locus, 375
TaqI RFLP detected by anonymous water
buffalo probe, 375
see also Bovine
- Chick embryos, sexing, 361
PCR amplification with W-specific
primers, 361
- Chicken
ANX5 homologue, *XbaI* RFLP at locus
encoding, 290
dinucleotide polymorphisms at
ACTA2 locus, 204
TENS and *SCHOX1* loci, 199
gene mapping, 337
genome, minisatellite DNA markers, 381,
391
HSP108 linked to histone gene cluster,
109
mapping cDNA loci, 337
mapping, using heteroduplex
polymorphisms
ACTA2 locus, 199

- GAPD* locus, 207
mononucleotide repeat polymorphism at
CMYCA locus, 55
microsatellites at the *HUJERELA* and
HUJ106 loci, 55
minisatellites
DNA markers in genome, 391
in DNA fingerprints, 381
TH locus, *MspI* in, 366
Chimaerism, haemopoietic, 1
Conservation genetics, 265
Cosmids
direct characterization of bovine
microsatellites from, 209
SINE-PCR amplification of clones, 155
Cyprinus carpio L. (common carp)
divergent selection using gynogenesis,
251
immune responsiveness, 251
inbred lines, 251
- Disease resistance, genetic manipulation of
immune responses for improved, 141
DNA conformation polymorphism
double stranded (DSCP), 77
single stranded (SSCP), 77
DNA fingerprints (DFP)
chicken, segregation analysis and linkage
among bands, 381
patterns generated in mammals by
plasmids, 273
roe deer, 25
Y-specific fragment revealed by, 430
Zebu cattle breeds, 89
DNA microsatellite markers
and bovine erythrocyte antigens and
serum proteins, 133
daughter design, 259
granddaughter design, 259
mapping QTL in commercial dairy cattle,
259
DNA minisatellite markers, chicken
genome, 381, 391
charomid libraries, 391
hypervariable sequence, 391
linkage mapping, 391
Dog
inherited diseases, 13
RAPD, 13
Donkey, red cell alloantigen, 119
- Equidae, chromosomal evolution with, 401
Equine, *see also* Horse
Equine dinucleotide repeat microsatellites
EA2C4, EB2E8, 285
MPZ002-MPZ007, 124
Equine dinucleotide repeat polymorphism
VIAS-H7, 292
VIAS-H17, VIAS-H34, 63
PCR amplification, 19
Equine genetics, 49
Equine mitochondrial DNA, D-loop region
conserved sequence blocks, 215
tandem repeats, 215
detection of aberrant alleles by SSCP
analysis, 287
variable region, 215
- Equine protease inhibitor, buffer system for
acid PAGE typing, 363
Equine tetranucleotide microsatellite
repeats
MPZ001, 123
VIAS-H39, 433
Equus przewalskii (Przewalski's horse)
intrageneric amplification of
microsatellite markers, 401
population study, 401
Erythrocyte, *see* Red cell
- Fluorescent *in situ* hybridization (FISH)
localization
bovine chromosome 9q27-28, 191
bovine chromosome 16q13, 113
pig-rodent somatic cell hybrids, 319
porcine genetic markers, 153
- Goat
blood groups and protein
polymorphisms, 333
bovine probe detects RFLP, 195
breeds, genetic distance, 333
genetic polymorphisms for casein alleles,
173
see also Caprine
Growth hormone (GH), targeted marker
development, 77
- Heat shock protein gene *HSP108*
linked to histone gene in chicken, 109
RFLP analysis, 109
Heterozygote detection tests for inherited
defects in cattle, 1
High-glycine-tyrosine keratin proteins, and
wool fibre diameter, 105
High sulfur protein genes, wool, 409
nucleotide substitutions, 409
SSCP analysis B2 gene, 409
Histone gene cluster linked to *HSP108* in
chicken, 109
Horse
blood groups, 45, 49
blood typing, 49
disease, 119
gene mapping 19
linkage analysis, 19
microsatellite markers, 401
parentage testing, 19
pedigree analysis, maternal inheritance,
213
polymorphic microsatellite loci
HMS1-HMS3, HMS5-HMS8, 62
VHL20, 207
population study, 19
protein polymorphisms, 45
red cell alloantigen, 49, 119
see also Equine
- Immune responses, genetic manipulation to
improve disease resistance, 141
Immunoglobulin kappa light chain locus in
Merino sheep, *TaqI* polymorphism at
the, 54
Inhibin alpha subunit (INHA), marker
development, 77
- Insulin-like growth factor I (IGF1)
gene for porcine, 37
linkage analysis, 37
targeted marker development, 77
Insulin-like growth factor II receptor
(IGF2R), assignment to bovine
chromosome 9q27 by FISH, 191
Intersex pigs, 299
PCR amplification 299
Y-specific (SRY, ZFY) DNA sequences,
299
- Ketosis, 99
- Ligase chain reaction (LGC), detection of
BLAD, 95
PCR, 95
- Major histocompatibility complex (MHC)
antigens
association with cattle disease and
fertility, 99
class II DR β molecules 235
class II immunoblotting 129
Mastitis, 99
Metallothionein 2 gene assigned to bovine
chromosome 18 by somatic cell analysis,
196
Mitochondrial aconitase gene (ACO2),
somatic cell mapping to bovine
chromosome 5, 123, 197
Mitochondrial DNA from different cattle
breeds, RFLP assay, 265
Monodelphis domestica (laboratory
opossum), *HindIII* RFLP of *NRAS* in, 432
Mule, red cell alloantigens, 119
- Neonatal isoerythrolysis (NI), 119
- Opossum (laboratory), *see Monodelphis
domestica*
Oryctolagus cuniculus (European wild
rabbit), polymorphic microsatellites
SOLO3, *SOLO8*, *SOLO28*, *SOLO30*, 367
Ostrich dinucleotide repeat polymorphism
at VIAS-OS2 locus, 291
Ovine, *see also* Sheep
Ovine *APOB* locus *TaqI* and *MspI* RFLP at,
289
Ovine CD5 gene, polymorphic
microsatellite detected in, 371
Ovine dinucleotide repeat polymorphism at
the LYZ locus, 204
Ovine *ESD* locus, high-frequency *EcoRI*
polymorphism at, 288
Ovine IGF-1 gene 5' flanking region,
dinucleotide repeat polymorphism in, 61
Ovine IL2RA, CD25 gene, detection of
polymorphic dinucleotide repeat
microsatellite, 200
Ovine interleukin 3 gene (limited
polymorphism) dinucleotide repeat, 286
Ovine Menkes disease locus (*ATP7A*),
EcoRV polymorphism at, 293
Ovine metallothionein II gene, polymorphic
tetranucleotide repeat in, 366
Ovine MHC class I, dinucleotide repeat

- polymorphism within, 61
- Ovine MHC class II
- DQ subregion
 - gene expression 243
 - subregion mapping, 243
 - DQB and DRB RFLP, 208
 - DQB sequence polymorphism, evolution of, 417
- Ovine microsatellites at
- OarAE64, OarHH22, OarHH56, OarHH62, OarVH4, 51
 - OarFCB5, OarFCB19, OarFCB20, OarFCB48, OarFCB129, OarFCB226, 60
 - OarHH30, OarHH51, OarVH54, OarCP88, OarCP93, OarCP134, 294
- Ovine *PHKA1* locus, *Bgl*III polymorphism at, 288
- Ovine polymorphic microsatellites McM38, McM42, McM49, McM58, McM64, McM73, McM74, McM130, McM357, McM527, 434
- Ovine *TIMP* locus, *Apa*I polymorphism at, 287
- Ovine X-chromosome microsatellites at the OarAE25 and OarAE133 loci, 370
- Pig
- chromosome 5, porcine IGF1 factor assigned by linkage mapping to, 37
 - chromosome 18q24, S0306 at, 377
 - disease control, 141
 - cDNA for POU domain protein OCT2, 141
 - DRB polymorphism, 73
 - gene mapping, 37, 155, 343, 357
 - genetic analysis of 38XX males with genital ambiguities and true hermaphrodites in, 299
 - plasma protein locus *PLP1* see also Porcine and Swine
- Pig-rodent somatic cell hybrids
- chromosome translocations, 319
 - FISH localization, 319
- Plasmid sequences, DNA fingerprinting patterns in mammals generated by repetitive, 273
- Porcine, see also Pig and Swine
- Porcine *ALB* locus, *Eco*I polymorphism at, 65
 - Porcine casein loci *CASA1*, *CASA2*, *CASB* and *CASK*, RFLP and linkage analysis, 349
 - Porcine class II DRB alleles
 - isolation and sequence determination, 73
 - PCR amplification, 73
 - Porcine cosmid-derived genetic markers, gene mapping, 155
 - Porcine cDNA, cloning and RFLP for OCT2 of, 141
 - Porcine *EDN1* locus, *Eco*RI at, 286
 - Porcine *GSN* locus, *Xba*I at, 368
 - Porcine GGT locus
 - Hinc*II polymorphism at, 57
 - Msp*I polymorphism at, 66
 - Porcine IGF1, assignment to chromosome 5 by linkage mapping, 37
 - Porcine *LOG12* locus, *Bgl*III RFLP at, 57
 - Porcine markers, physical and linkage mapping, 155
 - Porcine MHC class I genes
 - restriction mapping, 357
 - SLA, 357
 - Porcine ORM locus, polymorphism revealed by
 - Hinc*II, 369
 - Pst*II, 369
 - RFLP, 285
 - Porcine polymorphic microsatellite loci
 - S0032, S0034, S0036, S0037, 365
 - S0076 at chromosome 13q12, 430
 - S0077 at chromosome 16q14, 122
 - S0078, S0079, S00157, 436
 - S0098, 198
 - S0111-S0115, 53
 - S0141-S0149, 378
 - S0294 (BHT 34) at chromosome 6p11-q11, 431
 - S0297 (BHT 164) at chromosome 6p14-p15, 431
 - S0301 (BHT 12) at chromosome 4p15, 432
 - S0306 at chromosome 18q24, 377
 - Porcine *PEPN* locus, *Pvu*II polymorphism at, 65
 - POU domain protein OCT2, cloning and RFLP analysis of, 141
 - Przewalski's horse, see *Equus przewalskii*
- Quantitative trait loci (QTL) mapping
- livestock species, 77, 105, 259
 - marker assisted selection, 259
- Rabbit (European wild), see *Oryctolagus cuniculus*
- Red cell alloantigens, equine, 49, 119
- associated with NI, 119
- Red cell glutathione (GSH) deficiency in Spanish Churra sheep, 277
- Roe deer
- DNA fingerprinting using (GTG)_n probe, 25
 - population genetics, 25
- Salmo salar* L. (Atlantic salmon), MHC-Sasa class I and II variation, 147
- PCR amplification, 147
- Sheep
- assignment of POMC gene to BTA 11 and RFLPs in, 58
 - bovine probe detects RFLPs in, 195
 - breeds, 41
 - screening for RFLPs, 41
 - reproductive performance, 41
 - genetic influence, wool production, 105
 - genomic DNA, RFLP markers from, 374
 - GSH deficiency, 277
 - MHC class II DR β molecules, 235
 - monoclonal antibodies, 235
- QTL mapping, 105
- RFLPs at KRTAP6 and KRTAP8 loci, 106
 - TaqI β_A -inhibin alleles, 41
 - TaqI polymorphism at the immunoglobulin kappa light chain locus, 54
 - TaqI polymorphism revealed by CA2 probe, 372
 - TaqI RFLP at the *PLAT* locus, 293
 - water buffalo probe detects RFLP in, 195
 - see also Ovine
- Somatic cell hybrids
- hamster-bovine, 31, 179
 - new assignments to bovine genome, 31
 - pig-rodent, 313
 - to define bovine synteny group, 183
- Somatic cell mapping
- ACO2 to bovine chromosome 5, 123, 197
 - porcine microsatellites, 343
- Swine
- MHC, 73
 - PIT-1* gene
 - genomic cloning, 229
 - PCR-RFLP assay, 229
 - pituitary expression, 229
 - see also Pig and Porcine
- Synten
- assignment of microsatellites to bovine genome, 179
 - assignment to bovine synteny group U2 to chromosome 9, 183
 - conserved, linkage group on pig chromosome 5, 37
 - groups, 31, 209
- Targeted marker development
- candidate loci GFAP, GH, IGF1, INHA, 77
 - DSCP, 77
 - linkage map, 77
 - SSCP, 77
- Taurine cattle
- genetic introgression, 7
 - see also *Bos taurus*
- Trypanosomiasis, crossbreeding for resistance to, 7, 83
- Wool
- genes for fibre characteristics, SSCPs, 407
 - genetic influence on variation in production, 105
 - high sulfur protein genes, polymorphism in, 407
- Zebu cattle
- breeds, 89
 - bandsharing, 89
 - RAPD fingerprint data, 89
 - genetic introgression, 7
 - see also *Bos indicus*
- Zebu-taurine variation in Y chromosomal DNA, 7

